




# STADIUM SIDE

9 covers

SYMBOL	DESCRIPTION
	NARROW BEAM SPOT (5W)
	NARROW BEAM SPOT (12W)
	ADJUSTABLE SPOT (10W)
	HANGING LIGHT HOOK & SUPPORT TO BE PROVIDED
	TRACK WITH SPOT LIGHTS
	FOOTLIGHTS/WALL LT. POINT
	WALL BRACKET FOR LIGHT FIX.
	LED COVE LIGHT
	LINEAR PROFILE HANGING LT.
	AC GRILL
	TABLE LAMP
	STANDING LAMP
	TWIN LIGHTS 10W+10W
	SWITCH PLATE
	5 AMP. SOCKET
	20 AMP. SOCKET
	DATA
	TELEPHONE
	TV POINT
	SPEAKER
	CCTV
	FLOOR POINT
	TRAP DOOR
	CASSETTE AC

LAYOUT-1  
1020 SFT




## SECTION AA











REFERENCE IMAGE FOR BAR COUNTER

BAR COUNTER PLAN







BAR ELEVATION

SECTION



**SCREEN - TYPE D**  
**6' LENGTH X 8' HT. @BAR ENTRANCE- 2**  
**NO.S IN RESTAURANT;**  
**2 NO.S IN BAR**









**MANSI DESHPANDE DESIGN CONSULTANCY**  
**PROPOSED BAR**  
**COUNTRY CRICKET CLUB - RANCHI**



**MANSI DESHPANDE DESIGN CONSULTANCY**  
**PROPOSED BAR**  
**COUNTRY CRICKET CLUB - RANCHI**